Planet MinE Drop-down seals











Sound protection and air circulation simultaneously!



Experience a safer and more open world

SWISS MADE

Application field for Planet MinE

Step-free doors, that must offer protection from noise and light, while also providing air circulation

Low energy houses and passive buildings with ventilation systems



Situation without Planet:

- door gap not closed
- no light and sound protection
- no discretion/privacy

The solution with Planet MinE:

- ✓ Door gap closed, invisible solution
- ✓ Sound and light protection
- ✓ Air circulation / air compensation

Rooms with air compensation, toilet and wet rooms






Situation without Planet:

- door gap not closed
- possibly with ventilation grille
- noise penetrate outwards

The solution with Planet MinE:

- ✓ Sound and light protection
- ✓ No ventilation grille, invisible solution
- ✓ Discretion / privacy, door gap closed
- ✓ Air circulation, moisture escapes

Closed room or airlock doors



Situation without Planet:

• door can't close because air can't escape

The solution with Planet MinE:

- door closes, air escapes, even if the window is open or not
- ✓ Air circulation / air compensation

Planet MinE-F/S drop-down seal for sound insulation, fire protection and light protection, with simultaneous air circulation



Planet MinE
















Narrow

Planet MinE-F drop-down seals (Planet MinE-F/S and Planet MinE-F/V) also suitable for rebated doors profiles: 8 x 30 mm / 25 x 43 mm









Wide


Planet MinE drop-down seals

(Planet MinE-S and Planet MinE-V) suitable for flush doors profiles: 13 x 30 mm / 30 x 43 mm











|--|

Sound protection	up to 27 dB at an air gap of 7 mm	
Air passage	30 m³/h at a pressure difference of 3,9 Pa (door width 1050 mm)	
Lift adjustment	via the release knob using a 3 mm Allen key	
Lengths in stock	335, 460, 585, 710, 835, 960, 1085, 1210, 1335, 1460 mm	




Technical specifications Planet MinE-F ₁		
Sound protection	up to 23 dB at	an air gap of 7 mm
Air passage		ressure difference of vidth 1050 mm)
Lift adjustment	via the release Allen key	knob using a 3 mm
Lengths in stock	335, 460, 585 1210, 1335, 1	, 710, 835, 960, 1085, 460 mm



Technical	specifications
recunicai	specifications

Planet MinE-S

•	
Sound protection	up to 27 dB at an air gap of 7 mm
Air passage	30 m³/h at a pressure difference of 3,9 Pa (door width 1050 mm)
Lift adjustment	via the release knob using a 3 mm Allen key
Lengths in stock	335, 460, 585, 710, 835, 960, 1085, 1210, 1335, 1460 mm



Technical specifications

Planet MinE-V

Sound protection	up to 23 dB at an air gap of 7 mm
Air passage	40 m³/h at a pressure difference of 3,9 Pa (door width 1050 mm)
Lift adjustment	via the release knob using a 3 mm Allen key
Lengths in stock	335, 460, 585, 710, 835, 960, 1085, 1210, 1335, 1460 mm





difications, 200 / 06,2022 / 902280FN

The ASSA ABLOY Group is the global leader in access solutions. Every day we help people to feel safer and more secure and to experience a more open world.

