Planet finger protection FSR 6000 [Quick] The smart solution
















Easy installation – helps you to save time and money



Experience a safer and more open world

The easy way

Fast and simple installation of the Planet roller protector FSR 6000 [Quick]. The quick-fit roller protector that effectively prevents clamping injuries from doors.





Marking,...

...fixing,...


Don't forget: securing the doors hinge side with Planet FSA cover profiles!

For maximum safety on doors secondary closing edge, hinge side always must be protected! We recommend Planet FSA cover profiles, available for most common hinges



Roller protector FSR 6000 [Quick]





...clip-on and secure!

Technical data

Standard length	1925 mm (stock length)
Automatik length	2015 mm (stock length)
Maximum length	2500 mm
Minimum length	310 mm
Shortening:	Not possible
Installation kit	Universal screws included
draw out length	260 mm or 330 mm

Housing colors

silver anodised EV1
RAL-9016 white
RAL-9007 grey
RAL-7016 anthracite
matt anodised stainless steel
black C35 matt anodised
RAL/ELOXAL (Option.)

Fabric colors

black
white (option)
red (option)
blue (option)
yellow (option)
grey (option)

ht for technical modifications. 902423EN_01/2023

The ASSA ABLOY Group is the global leader in access solutions. Every day we help people to feel safer and more secure and to experience a more open world.

